Municipal.

4 J 1875
Sl. No. 18.

Papers connected with the
water supply to the Town of Bangalore

1876

196

From
The President,
Cantonment Municipal Commission,
Bangalore.

To
Secretary to Chief Commissioner,
General Department.

Dated.
Despatched. 24 January 1876
Received. 24/1/76
No. 259

Enclosures No. 1

General No. 259
No.

Sir I do myself the
honour to submit for
the information of the
Chief Commissioner
that a careful guage may be
made of a few of the
principal wells in each
locality at 12 noon every
Saturday and submitted
for the information of the
Chief Commissioner

I am Sir
Your most humble

showing the quantity made
of the several Walls in the
Contractors at 12 hours
on Saturday the 22nd January
1842.

Edward McCann
Ben Leigh
Engineer

Report on Municipal Wells of Bangalore showing the depth of well and the

No.	Divisions	Where Situated
56	Aleoor	Moatalama Temple Aleoor
57	do	Bazar Aleoor
58	do	Old Police Station Aleoor
60	do	Opposite to the Municipal Stalls in
61	do	Near the Beef Verandas stalls in Bazar
1	Shoolay	At Chuttrum on South side of Victoria
4	do	In rear of Mr Figueradoes house Shoolay
5	do	At Kratmakers Lane Shoolay
6	do	South of Shoolay Tank on Commissariat
48	Chalk lines and Fort	In the bed of Sumpungy Tank north ea
50	do	At Junction of Fort and Cenotaph road
51	do	At south west Corner of bund of Sumpun
55	do	At Kittimmunhilly Tank
	X	Karinjee reservoir in the Fort
	X	Well south of the Ford
28	General Bazar	In the evening Bazar
29	do	In new Market at Clock Tower
31	do	In rear of beef baby Market south of
36	do	In Compound of Sun Arrack Gutchery
38	do	South East Corner of Kimmmlpoah Road
40	do	South East of No 2 Reservoir
43	do	South of Main Channel Blacksmithy
52	do	Armstrong road
37	Blacksmithy	In Chumberwaden on Tannis ah po
42	do	Dholup Ghat at Wilkinsons

Office of the Cantonment
Bangalore
14th January 1876

X. Are situate without Cantonment limits in Civil Lines Wesleyan Chapel

depth of Water therein at 12 Noon on Saturday the 22 January 1876.

6.	Depths of Well Feet	Depths of water Feet	Remarks
	38½	7 5 inches	Brackish
	45	7 10 inches	do
	45½	10 7 inches	do
Knoxpath.	10	4¾	Good water
ath	16	7¾	do
Road	32	1	Good water
	46	8¾	Brackish
	34	2¼	do
1st road	36	8 inches	Good water
2 Corner	24	2¼	do
	28	1½	do
by Bank	34	8½	do
	30	10 inches	do
	32½	26	Supplied by an underdrift from Reservoir
	8	6	Good water
	35	2	Very bad water
	35	1	do
ew Channel	26	6½	Bad water
	36	10½	do
Road	34	3½	Good water
	25	8¼	Indifferent
road	34	16	do
	69	5½	Good water
d	40	2¾	do
	31	8	Indifferent

Present Examiner.

Superintendent Rural Common Boards Central

Proceedings to be dated the "13" day

The Mayor & Council having
visited & in company with
the President of the
Municipal Court the
principal source of
the water supply of
the Talbot & Canton
ment has given
verbal orders for the
~~deep deepening and~~
deepening and improve-
ment of all existing wells
where they may be
necessary. Mr Dalrymple
has also approved the
measures already taken
by the Municipality

for the limitation of
the supply to each
family to its ordinary
domestic wants, and
further request that
a careful gauge may
be made of a few
of the principal wells
in each locality, each
week, every Saturday,
and submitted for
his information, in order
that he may be kept
aware how the supply
is being maintained.

The President Sir. C.
has already been requested
to bore in any suitable
localities for the purpose
of ascertaining whether it
would be feasible to

I wish every water
to increase the capacity
supply wherever it is
to fall short of the
demands upon it, and
[illegible]

[illegible]
Bacon Cole and Benedict
Mr. Board - 12/1. 1911

No 5

In 1st Column "depth of Water"
Leave use of
last State that to be
~~ordinary~~ depth of Water
~~at~~ in ordinary Seasons
at the Same time of
Year.
Say in Column 4th Camp,
& Campaign for last
Year reckoned upon by 8/1

[illegible]

No 11

To
The Comm. Navy Yd.
Dep. Comm. Bay & Riv.
President Bd. Comm.

A. 13th January 1874.
Dep. " 17th " 5 No. 7795
Rec. 17th " 8 " 1574.

Proceedings on the
water supply of the
Navigator Potash
and Pantomonal.

[illegible]

No 31469.

Sir,

I have the honour to acknowledge receipt of your No 8404/1921 of the 1st instant and in reply to state for the information of the Chief Commissioner that I am to forward herewith Declaration Forms, Nos 56,507 to 508 issued under the Little Aluminium Scheme, last three weeks, the value of these will be added to the Account rendered by this Department and to ask that in future your Indents under

deserted and the tank still contains sufficient water for the present use. A pump was attached to the tank on the south side of the road from the Eastern Division covered with sufficient tank to a depth of 18 feet. As soon as the tank dries up and is not required for Locomotive Watering the tank and the pump will be removed from the premises.

Until the Locomotive Superintendent can report on the matter, steps will be taken to have the tank filled with water from the Reservoir near the Station and the pump will be removed when no longer required.

Innumerable new great - The river
in Kings in parts was at
and morning at Inkana Falls
right feet-sh-ard and had
loud the drills almost-r=
- made a room citizen again
which - planned - the delth
25-feet and Containing 5½
feet ft with Rosin Lunk
in a, two 2 racing-ground to
the mark. Each of the mile and
Laundrat enter Removed
from the tank, and a large
site and mile 15 minutes
Combination in the sides
the Rep.. in Ends along the
East-Indian .. the tank. Stands
Race Rinse drinks fair or
as the Union Dances from
Merriment, Entries all the
Lunk in .. rest of the tank
, Etc 1st — 8 at the
Ambient - the Championship Lunk
having become Incorporated
in new Rules & and mod

Entrance

north of Elmeland Town and
situated in the Parish of
the Valley of Talon within such
limits that no person known
to adopt ... Well and had
Contains ... feet of water, a
person named Rudolph ...
Contractor of the Municipality
has undertaken to Enlarge and
deepen the well and Convert
it into a tank for the use
of the town and when completed to vest
it in the Municipality
for public use - viz. Communication
Municipal Commissioners - to
a Duncan Matters in the manner
manner agreed to Contract ...
public well at the Junction of
and Thurmond Road -
Agreements ... the Specifications
and drawings executed with the
same parties and in the Valley
of Talon and the Contract
to be entered into with the Municipality
to meet the present ...
Council

4

current of water. The investigation of which has also been Commenced Departmentally in some low ground immediately to the East of Cleveland Town Police Station and in which locality there is reason to believe that water of good quality will be found at no great depth. I have only to add that where the depth of water would admit if this being done all the public wells have been cleared of silt and all other impure matters.

I avail myself of this opportunity to point out that it seems highly desirable that advantage should be taken of the present exceptional season to effect a thorough clearance and deepening of all the tanks connected with the general water Supply of Bangalore. There are particulars refer to - No 2 Reservoir (Hollen Tank) No 6 Shoolay

... Abstract ... in banks. The Heads of all municipalities ... and the present Census therefore will ... Income-Taxables, for the proposed Alterations being carried in Effect. From the Income assessed in 1872 when a sum of Rupees 1000 was granted by Government to the Municipality for additional purposes Sum of Rupees not to exceed Income Appreciation and practically keeping which has expended the expenditure, a sum fully as large as that granted ... and ... this ... Government expects sum to exceed the sum at the disposal of the Commissioner ... to submit that the Taxables ... may be raised by ... Rupees 1,00,000 in the Corporation ... Income ... Assessment Abstract

I have the honor to be
Your most Obedient Servant

Secretary
Board of Municipal Commissioners

5

No 927/3 of 1/4 March 1915

Dated the 3rd from President Municipal Commission.

In reading under date 13th January No 779/1574 the President Municipal Commission was requested to keep the officiating Chief Commissioner exactly informed of the condition of the water supply in the Pettah and Cantonment, by the submission of weekly statements showing the depth of water in the principal wells in each locality, and to report what results had attended the endeavours to purify the supplies in such wells, & it is now

to

the department. The state-
ments have now duly
submitted and the fore-
going letter & Govt Answer
reply to the 6th resolution.
2. We have learn that during
the past year the water in the wells which
are most frequented in
each District has not
diminished to any very
serious extent, and though
the Official reports that
the public wells in the Gen-
al Bazaar Division (No 4,
are generally beginning to
fail, ~~it appears from~~ the
the figures entered in
statement for the week ending
9th Instant, show that the supply
in the wells No 36 and 40
situate one in the Vernacular
Cutcherry and the other
at the N.E of No. 4 Bazar
-aar) which seem to be

the most important in the Division. Though the water is rather inferior in quality and only fallen during the period in question, from 11 ft. 6 to 8 ft. 6 and June 8 ft. 3 to 6 ft. 6.

3. In order to supplement deficiencies, the Municipality have sunk several new wells with fair results, and two private individuals have also undertaken to do so at their own expenses — Mr. Ramalingam at the junction of the Broadway and Sinnmalai Road, and Contractor Kuddapah at the Police Station in Chaulard Town. The Resident will be good enough to intimate to

Three heroes, that the
municipality should be highly appreciated by the Officiating Chief Commissioner

In the endeavour to give effect to the suggestions that advantage be taken of the present season to deepen the beds of the tanks connected with the town-water-supply, and solicits a special grant of Rs 10,000 for this purpose The existing Chief Commissioner will be glad to consider any estimates for these works which the Executive may desire to submit, and in the meantime will make a grant of Rs 5,000 to be debited to the Provincial Public Works Budget, to be expended

expended during the present month at the Presidents' discretion as it is decidedly desirable to provide suitable work for those of the unemployed who are already beginning to feel the pressure of the present high prices.

5 In future weekly statements it will be sufficient to include three or four of the principal works in each Division, and at least four in different parts of the Parish should be added to the list in the original order included both Pollok and Pauntonmuck.

1876. 0644 209

From
The President,
Cantonment Municipal Commission,
Bangalore.

To
Secretary to Chief Commissioner,
General Department.

Dated. 11 January 1876
Despatched. —/ do —
Received. /2

Enclosures No. 2 & c

General No. 3469
No.

[illegible]

Secy
12/2
Dy Sec
Asst Commr in charge
14/2
Send to Bangalore with the
[illegible]

Form V.

282







Letter No. 696 dated
28th March/76 from the
Secretary Dr. W.

Order thereon — Ordered that the
foregoing be Communicated
to the President Municipal
Commissioner, Bangalore with intimation
that under the Circumstances
stated therein, the H.E.G
Chief Commr. does not
think it advisable that
the projects for deepening
No 2 and 4 Reservoirs should
be undertaken — New Nos
3, 5 and 5 Sanctioned —
are sanctioned as Relief
Works — Including a sum
of Rs 5000 sanctioned for
the deepening of the Shurman
Tank more than
Rs 10000 have been sanctioned
during the Official

No. 1193 of 76

The President is requested to [illegible] the Chief Commr with his opinion as to whether any further work is required for Relief purposes.

The Estimate, received with the President's letter No 3791 of the 16th March are returned.

W Fee[illegible]

To the President H.C. &c &c &c
Bungalow
The Secy to G.I.
The Secy to Govt

18th/3

No
Commissioner &c &c
Bangalore
Dated 19th March

No 1133
67

Despatched
Recd 12th

Encl Estt
2 lists

Memorandum
The circumstances
referred to in letter
No 696 dated 18th
March 67 Chief
Commissioner does
not think it advisable
that the projects for
deepening Wiz and
Accessories should
be undertaken.

No 207 Memo

In Proceedings under
date 1st January 1876
No 1775/1574 the President
Municipal Comm.
Requested to keep up
Chief Commissioner
informed of the condition
of the Water Supply,
the Pettah and Cantonment
of Bangalore by the insti-
-tution of weekly state-
-ments shewing the depths
of water in the principal
wells in each locality, and
to report what results
had attended his endeavours
to improve the supply
in those places where it
appeared to be deficient.

13

The return for the

	Sota standard
Reservoir No 2 –	2630 ×
Do – 3 –	1700 ⊙
Do – 4 –	94 ×
Sooltanpet Tank 5	710
Shoolay Tank 6.	13450 ⊙
Chetumanahilly Tank	2900

by the President and they were forwarded to the Secretary to Govt for opinion Col Jackson President in some technical remarks that it was undesirable to spend money in both works and to end, seeing indeed that Nos 3, 5 and 6 might be carried out. Sanction to the latter works was conveyed to the President and he was at the same time requested to state whether any further work was required for relief purposes – The President now reports that of the sum of Rs 3450 sanctioned for deepening the Shoolay Tank Rs 2700 only were expended and with the

9th June 1916.

Rs.

The Proceedings of the Executive Committee
of Hyderabad No. 23-4 dated 1st May 1916 Conveying

1 Widening of Choolay Tank — 3450 — Sanction to Estimates
2 —— do —— No 3 Reservoir —— 990 — Conveying Instruction
3 —— do —— Soolthanpet Tank —— 90 — Water Rate and Irrigation
4 —— do —— Akkulmunnulla —— 2900 — Rates on the Grant of
Tank —— 7430 — Water Rights to the

to the Municipality from the Chief Com
Receiving any Receipts for the Amount
in reply to Reference (1) of the qu
(Rs. 3600) made in March last for (1)
Choolay Tank has been fully extended a
the Balance of Estimate viz: Rs. 450/ h
Reservoir — Sanction to Estimate a 10.4
Required Rate for Execution of the
be required a supply of Water and fixing
prevent any Increase of the Water Rate
sum of (Rs. 2900) due from the

6 — 96

From
The Principal Commissioner
Bangalore

The Secretary to Chief Commissioner
General Department

Dated
Despatched } 9th June 1876
Received - 10 "
Regd. 12th

Enclosures No

of

General No. 794
No.

Requests instructions for the disposal of the amount drawn from the Chief Commissioner's Treasury for deepening tanks & reservoirs as the same is still in the —— on date.

... may you ...
... untimely rains ... is held in ... and I request you will be so good as to favour me with instructions for the disposal of this sum there being no other relief ... that can be recommended to be carried out in the Cantonment during the present official year.

I have the honor to be
Sir
Your Most Obedient Servant

...
Principal Comm.
Bangalore.

To
Register
...
10-6-76

16.6.76
File ...
...

Vide Memo No. 207 of 27th June/76.
previous ...
...
11-6

Reg. 15.6.76

Proceedings of the Chief Commissioner
Sat. 5th July 1876

No 3385
F 195

Dated 5th July 1876

Read letter from the
Resident Engineer
Cumbum that there is
Remittance of Rs 1,
1st June 76

—"—

Order thereon— Under the circumstances
Reported, the Chief Engr
directs that the sum of Rs
2900 drawn by the Resident
on account of Deposit in the
Civil Treasury, Cumbum, be
be refunded to the
Treasury, and held
available for Expenditure on
Relief Works, out of the Deposit
Head in favor of Govt

To The President, Cantt
Municipal Commissioners
The Dy Accountant

m

1876

To The Secretary
Co. of the Capt Comm
the Accountant

Dated 5th July
Despd " ——
Recd

Pyt No 3285
No 195

Rupees 2900 Enquired by the President for deepening the Akkal mercantile Bank be kept on deposit.

——— o ———

Treasury Note (1876) and Receipt

I
W113

P - 5/c°D
1/4

Enclosures No
Encl: 2643

Reporting that bill have been received ...
duly forwarded to the ... of Independence ... Accounts Particulars ... in ... instalments.

Yours

6

Army Pension
1/4

E.88-9 76

Deputy Accountant General's Office
Bangalore 16th August

Dept. Accountant General
of Mysore
Secretary to the Chief Commissioner
General Department

Sir,

I have the honor to forward a copy of letter No. 1166 of the 10th Instant from the Municipal Commissioner [illegible] and to report that [illegible] in due form with [illegible] expenditure having been [illegible] with the Estimates [illegible] for which grants [illegible] the Chief Commissioner's orders [illegible] No. 11.3-4-

[illegible] of Rs 2911 may be funded out of the grant of Rs 2013 which was sanctioned on the same order for repairing the Akkeri immam bully tank, has been returned to the Chief Commissioner's Treasury pursuant to the order No. 3385/195 dated 5th July 1876

I have the honor to be
Sir,
Your most Obedient Servant
[illegible]
Deputy Accountant General

No 1396 & 3 Encls

Office of the Lieutenant Revenue Collector
Bangalore 10th August 1876

To
The Deputy Accountant General of Mysore
Sir,

I have the honor to enclose 3 Completion reports aggregating the sum of Rs 3861-15-0 being the amount expended (1) on Deepening Shoolay Tank (2) do 3 Reservoir and (3) Soolturge Goomtah as per margin from the total grant of Rs 6761 drawn from the Treasury leaving a balance of Rs 2913-1-0 of this, the sum of Rs 2900/ the amount sanctioned for deepening Ashtalammanhully Tank was agreeably with the instructions conveyed in the Proceedings of the Chief Commissioner of Mysore No 33 dated 5th July 1876 refunded to the Treasury with this Office No 1075 dated 7th July 1876 as this Tank had shortly after the receipt of the grant received a large quantity of Water the amount sanctioned could not be expended, and the unexpended balance of Rs 13-1 is held in Deposit to be utilized hereafter on the Tanks for which the grant was issued by the Chief Commissioner—

1	Deepening Shoolay Tank	3000/
1	Ashtalammanhully Tank	2900/
1	do 3 Reservoir	790/
1	Soolturge Goomtah	71
	Total Rs	6761

6761
2900
3861

Copy /
[illegible]
Chief Assistant

[illegible]
Revenue Commissioner
Bangalore

19